

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office


» Sea

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

## IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **1** of **1112315** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.


☐ Check to search within this result set

## Results Key:

**JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**1 Distributing Internet services to the network's edge**

Weaver, A.C.; Condry, M.W.;

Industrial Electronics, IEEE Transactions on , Volume: 50 , Issue: 3 , June 200  
Pages:404 - 411
[\[Abstract\]](#)   [\[PDF Full-Text \(599 KB\)\]](#)   **IEEE JNL**

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

prox\* <near/10> virus\*



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **prox near/10 virus**

Found **347** of **148,162**

Sort results  
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display  
results

expanded form



[Search Tips](#)

☐ Open results in a new  
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

**1** [Deploying the Squid Proxy Server on Linux](#)

Ian Spare

March 2001 **Linux Journal**

Full text available: [html\(24.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


Ian gives an example of the installation, configuration and maintenance of this multi-tentacled invertebrate proxy server.

**2** [Proxy signatures for delegating signing operation](#)

Masahiro Mambo, Keisuke Usuda, Eiji Okamoto

January 1996 **Proceedings of the 3rd ACM conference on Computer and communications security**

Full text available:

 pdf(639.03 KB)[full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes an approach to managing tasks and processes that are distributed across a large number of people. The basic idea is to use a social visualization called a task proxy to create a shared awareness amongst the participants in a task or process. The process awareness provided by the task proxy enables its users to monitor the task state, the states of participants, and to communicate with those in particular states. We describe the concept, a first prototype, its evaluation, and ...


**Keywords:** CSCW, awareness, design, process awareness, social computing, social proxy, task support, visualization, workflow

5 Are handheld viruses a significant threat?

Simon N. Foley, Robert Dumigan

January 2001 **Communications of the ACM**, Volume 44 Issue 1

Full text available:  pdf(119.80 KB)

 html(17.24 KB)

Additional Information: [full citation](#), [references](#), [index terms](#)

6 A high-availability high-performance e-mail cluster

Wyman Miles

November 2002 **Proceedings of the 30th annual ACM SIGUCCS conference on User services**

Full text available:  pdf(175.10 KB)

Additional Information: [full citation](#), [index terms](#)

**Keywords:** anti-spam, anti-virus, cluster, electronic mail, failover, high-availability, high-performance, mail routing, proxy, redundancy

7 Internet WORMS: past, present, and future: A taxonomy of computer worms

Nicholas Weaver, Vern Paxson, Stuart Staniford, Robert Cunningham

October 2003 **Proceedings of the 2003 ACM workshop on Rapid Malcode**

Full text available:  pdf(136.01 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

To understand the threat posed by computer worms, it is necessary to understand the classes of worms, the attackers who may employ them, and the potential payloads. This paper describes a preliminary taxonomy based on worm target discovery and selection strategies, worm carrier mechanisms, worm activation, possible payloads, and plausible attackers who would employ a worm.

**Keywords:** attackers, computer worms, mobile malicious code, motivation, taxonomy

8 Access Control Models and Mechanisms: Partial outsourcing: a new paradigm for access control

Joerg Abendroth, Christian D. Jensen

June 2003 **Proceedings of the eighth ACM symposium on Access control models and technologies**

Full text available:  pdf(304.19 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Various security models have been proposed in recent years for different purposes. Each of these aims to ease administration by introducing new types of security policies and models. This increases the complexity a system administrator is faced with. Ultimately, the resources

expended in choosing amongst all of these models leads to less efficient administration. In this paper, we propose a new access control paradigm, which is already well established in virus and SPAM protection as partial dele ...

**Keywords:** ASCap framework, access control, active software capabilities, partial outsourcing

#### 9 Does licensing require new access control techniques?

Ralf C. Hauser

December 1993 **Proceedings of the 1st ACM conference on Computer and communications security**

Full text available:  pdf(804.20 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Licensing is a topic of increasing importance for software publishers and users. More and more, the magnitude of financial transfers between these two partners are determined by some electronic licensing service being part of the system on which the licensed software is running. In order to ease the use and management of such licensing schemes and to enable economic software usage in enterprise-wide computer systems through flexible and fair billing structures, various organizations are wor ...

#### 10 Protocol scrubbing: network security through transparent flow modification

David Watson, Matthew Smart, G. Robert Malan, Farnam Jahanian

April 2004 **IEEE/ACM Transactions on Networking (TON)**, Volume 12 Issue 2

Full text available:  pdf(316.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes the design and implementation of protocol scrubbers. Protocol scrubbers are transparent, interposed mechanisms for explicitly removing network scans and attacks at various protocol layers. The transport scrubber supports downstream passive network-based intrusion detection systems by converting ambiguous network flows into well-behaved flows that are unequivocally interpreted by all downstream endpoints. The fingerprint scrubber restricts an attacker's ability to determine t ...

**Keywords:** intrusion detection, network security, protocol scrubber, stack fingerprinting

#### 11 Secure internet access to SAP's R-3: keeping dragons out

Katherine Jones

May 1998 **International Journal of Network Management**, Volume 8 Issue 3

Full text available:  pdf(167.01 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The security of the networking environment is critical for today's corporations. Issues such as reliably identifying remote-access users, checking authorizations, data-transfer security and database security are of paramount importance. This article discusses a resolution of these problems for the R-3 environment using CYBERSHIELD<sup>†</sup>. © 1998 John Wiley & Sons, Ltd.

#### 12 Tolerating denial-of-service attacks using overlay networks: impact of topology

Ju Wang, Linyuan Lu, Andrew A. Chien

October 2003 **Proceedings of the 2003 ACM workshop on Survivable and self-regenerative systems: in association with 10th ACM Conference on Computer and Communications Security**

Full text available:  pdf(1.03 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

Proxy-network based overlays have been proposed to protect Internet Applications against Denial-of-Service attacks by hiding an application's location. We study how a proxy

network's topology influences the effectiveness of location-hiding. We present two theorems which quantitatively characterize when proxy networks are robust against attacks (attackers' impact can be quickly and completely removed), and when they are vulnerable to attacks (attackers' impact cannot be completely removed). Us ...

### 13 Pervasive computing: Modeling service-based multimedia content adaptation in pervasive computing

Girma Berhe, Lionel Brunie, Jean-Marc Pierson

April 2004 **Proceedings of the first conference on computing frontiers on Computing frontiers**

Full text available:  pdf(691.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Pervasive computing applications allow users to access information from anywhere while traveling and using variety of devices. Heterogeneity and limitation of resources involved in this application demand adaptation of content according to the current context (device, user, network etc.). The dynamic nature of adaptation mechanisms together with emerging opportunities of Web Service technology provides new approach of adaptation which is service-based. While this approach would provide a valuabl ...

**Keywords:** content adaptation services, media transformation, multimedia content delivery, pervasive computing

### 14 Illustrative risks to the public in the use of computer systems and related technology

Peter G. Neumann


January 1996 **ACM SIGSOFT Software Engineering Notes**, Volume 21 Issue 1

Full text available:  pdf(2.54 MB) Additional Information: [full citation](#)

### 15 Service infastructure and network management: MobiDesk: mobile virtual desktop computing

Ricardo A. Baratto, Shaya Potter, Gong Su, Jason Nieh

September 2004 **Proceedings of the 10th annual international conference on Mobile computing and networking**

Full text available:  pdf(580.39 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present MobiDesk, a mobile virtual desktop computing hosting infrastructure that leverages continued improvements in network speed, cost, and ubiquity to address the complexity, cost, and mobility limitations of today's personal computing infrastructure. MobiDesk transparently virtualizes a user's computing session by abstracting underlying system resources in three key areas: display, operating system, and network. It provides a thin virtualization layer that decouples a user's computing ses ...

**Keywords:** computer utility, network mobility, on-demand computing, process migration, thin-client computing, virtualization

### 16 Content-triggered trust negotiation

Adam Hess, Jason Holt, Jared Jacobson, Kent E. Seamons

August 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Issue 3

Full text available:  pdf(815.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The focus of access control in client/server environments is on protecting sensitive server resources by determining whether or not a client is authorized to access those resources. The set of resources is usually static, and an access control policy associated with each

resource specifies who is authorized to access the resource. In this article, we turn the traditional client/server access control model on its head and address how to protect the sensitive content that clients disclose to and r ...

**Keywords:** Trust negotiation, access control, authentication, credentials

17 The Jini architecture: dynamic services in a flexible network

Ken Arnold

June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**

Full text available:  [pdf\(62.17 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Java, Jini, distributed computing, distribution, networks

18 Ubiquitous computing/security: Securing nomads: the case for quarantine, examination, and decontamination

Kevin Eustice, Leonard Kleinrock, Shane Markstrum, Gerald Popek, V. Ramakrishna, Peter Reiher

August 2003 **Proceedings of the 2003 workshop on New security paradigms**

Full text available:  [pdf\(693.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


The rapid growth and increasing pervasiveness of wireless networks raises serious security concerns. Client devices will migrate between numerous diverse wireless environments, bringing with them software vulnerabilities and possibly malicious code. Techniques are needed to protect wireless client devices and the next generation wireless infrastructure. We propose QED, a new security model for wireless networks that enables wireless environments to quarantine devices and then analyze and potenti ...

**Keywords:** decontamination, examination, mobile computing, nomadic computing, pervasive computing, quarantine, security, ubiquitous computing, wireless, worm

19 A long-term perspective on electronic commerce

Eric Hughes

November 1997 **netWorker**, Volume 1 Issue 3

Full text available:  [pdf\(535.69 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

20 Applications, services, and architecture: Smart edge server: beyond a wireless access point

G. Manjunath, T. Simunic, V. Krishnan, J. Tourrilhes, D. Das, V. Srinivasmurthy, A. McReynolds  
October 2004 **Proceedings of the 2nd ACM international workshop on Wireless mobile applications and services on WLAN hotspots**

Full text available:  [pdf\(410.68 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Wireless access at cafes, airports, homes and businesses have proliferated all over the globe with several different Wireless Internet Service Providers. Similarly, digital media has created a paradigm shift in media processing resulting in a complete change in media usage models, revamped existing businesses and has introduced new industry players. We believe there is a tremendous opportunity for application and system services at the intersection of the above two domains for exploiting the ...

**Keywords:** access point, low-power, management, media, security, wireless

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	cookie\$4 near10 allow\$4 near10 access\$4 near10 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:56
L3	29	cookie\$4 near10 allow\$4 near10 access\$4 near10 server\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:56
L4	17	cookie\$4 near10 allow\$4 near10 access\$4 near10 server\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:56
S1	3	antivirus near10 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:49
S3	119	virus near10 prox\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:21
S4	25	virus near10 prox\$4 and @ad<"20011206" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:23
S5	109	malware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:26
S6	0	malware and 709/ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:24
S7	10	malware and "709"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:24

S8	10	malware and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:24
S9	5	malware and (cach\$4 prox\$4) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:25
S10	35	malware and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:28
S11	30	(malware trojan\$1 virus\$4) with (check\$4 scan\$4) with (prox\$4) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:38
S12	2	"6119165" and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:34
S13	6	"6275937"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:34
S14	1714	(malware trojan\$1 virus\$4) with (check\$4 scan\$4) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:38
S15	651	load near10 balanc\$4 near10 (cach\$4 prox\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:38
S16	44	S15 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:49
S17	80	prox\$4 near10 redirect\$4 and (virus\$4 malware\$1 trojan\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:50

S18	45	prox\$4 near10 redirect\$4 and (virus\$4 malware\$1 trojan\$1) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 17:50
S19	3	malware near10 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:51
S20	122	(proxy proxies) same virus\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:08
S21	66	(proxy proxies) same virus\$4 same scan\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:52
S22	35	(proxy proxies) near10 pool\$4 and virus\$4 near10 scan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:18
S23	27	load with balanc\$4 same virus\$4 near10 scan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:23
S24	103	scan\$4 near10 (file\$4 object\$1) near10 (malware\$1 virus\$3 trojan\$4 spyware\$1) same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:30
S25	14	scan\$4 near10 (file\$4 object\$1) near10 (malware\$1 virus\$3 trojan\$4 spyware\$1) same prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:34
S26	91	"5623600"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:46
S27	16	"5623600" and proxies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:49

S28	0	round adj1 robin same schedul\$4 same virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:49
S29	3	round adj1 robin same virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:52
S30	38	virus\$4 near10 scan\$4 near10 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:58
S31	144	virus\$4 near10 scan\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:59
S32	79	virus\$4 near10 scan\$4 near10 server\$1 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:59
S33	19	"6119165"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:08
S34	191	virus near10 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:38
S35	121	virus near10 prox\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:43
S36	4	virus near10 scan\$4 near10 algorithm\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:44
S37	0	(proxy proxies) near10 stor\$4 near10 scan\$4 near10 virus\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:47

S38	19	(server\$4) near10 stor\$4 near10 scan\$4 near10 virus\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:45
S39	18	(proxy proxies) near10 scan\$4 near10 virus\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 07:47
S40	15	load adj1 balanc\$4 same virus near10 scan\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:02
S41	8	load adj1 balanc\$4 and (proxy proxies)near10 virus and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:23
S42	0	"Collaborative Server Processing of Content and Meta-Information with Application to Virus Checking in a Server Network"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:03
S43	78	(information near10 virus\$1).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:04
S44	1	(information near10 virus\$1).ti. and international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:04
S45	8	load adj1 balanc\$4 and (proxy proxies)near10 virus\$3 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:23
S46	0	(proxy proxies) near5 pool\$4 near10 virus\$4 and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:25
S47	4	(proxy proxies) same (cach\$4 stor\$4 sav\$4) near10 clean\$4 near10 (file\$1 data page\$1) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:26

S48	18	(proxy proxies) same (cach\$4 stor\$4 sav\$4) near10 scan\$4 near10 (file\$1 data page\$1) and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:33
S49	95	"4633387"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:33
S50	45	load adj1 balanc\$4 near10 (proxy proxies) same round adj1 robin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:36
S51	45	load adj1 balanc\$4 near10 (proxy proxies) and round adj1 robinnot S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:36
S52	39	load adj1 balanc\$4 near10 (proxy proxies) and round adj1 robin not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:36
S53	0	server near10 farm\$4 near10 antivirus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:43
S54	3	server near10 farm\$4 and antivirus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:44
S55	185	server near10 farm\$4 and virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:47
S56	122	server near10 cluster\$4 and virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:47
S57	8	server near10 cluster\$4 same virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 08:53

S58	0	-load adj1 balanc\$6 near10 (proxy proxies) and 709/ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:00
S59	36	load\$2 adj1 balanc\$6 near10 (proxy proxies) and 709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:15
S60	350	load\$2 adj1 balanc\$6 near10 (proxy proxies cach\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:15
S61	198	load\$2 adj1 balanc\$6 near10 (proxy proxies cach\$4 near3 server\$1) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:16
S62	140	load\$2 adj1 balanc\$6 near10 (proxy proxies cach\$4 near3 server\$1) and "709"/\$.ccls. and @ad<"20011206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:16
S63	32	server near5 (proxy proxies cach\$4) same load\$4 near10 balanc\$4 and virus\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 09:26